SAFETY DATA SHEETS

According to the UN GHS revision 10

1: Identification

1.1 GHS Product identifier

Product name	Diisodecyl phthalate

1.2 Other means of identification

Product number	26761-40-0
Other names	Diisodecyl phthalate

1.3 Recommended use of the chemical and restrictions on use

Identified uses	Industrial and scientific research use.
Uses advised against	no data available

1.4 Supplier's details

Company	Zhongshan Greenrock Technology Co., Ltd.
Address	No. 138, Jinsan Avenue, Sanjiao Town, Zhongshan City, Guangdong Province, China
Telephone	+86-2087066781

1.5 Emergency phone number

Emergency phone number	+86-2087066781
Service hours	Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

2: Hazard identification

2.1 Emergency Overview

Low-risk substances usually cause only mild irritation or discomfort. Under normal handling conditions, they are unlikely to pose a significant risk to human health or the environment. However, basic safety precautions must be followed.

2.2 GHS Classification

Hazardous to the aquatic environment, acute hazard : Category 1
Hazardous to the aquatic environment, long-term hazard : Category 1
Hazardous to the aquatic environment, long-term hazard : Category 2

2.3 GHS label elements, including precautionary statements

Pictogram(s)

Signal word	Warning
Hazard statement(s)	H400 Very toxic to aquatic life H410 Very toxic to aquatic life with long lasting effects H411 Toxic to aquatic life with long lasting effects
Precautionary statement(s)	
Prevention	P273 Avoid release to the environment.
Response	P391 Collect spillage.
Storage	no data available
Disposal	P501 Dispose of contents/container to ...

2.4 Physical and chemical

The physical and chemical hazards are low, and they are non-flammable, non-explosive, and non-corrosive. Some substances may be slightly flammable or irritating, but the risk is low.

2.5 Health hazards

May cause mild skin or eye irritation, such as redness and itching. Inhalation or ingestion of small amounts may cause temporary discomfort, but no serious or long-term health effects. No special medical treatment is generally required.

2.6 Environmental hazards

It has a low impact on the environment and is only slightly toxic to aquatic organisms and terrestrial ecosystems. Under normal disposal conditions, it will not cause significant environmental pollution and is highly biodegradable.

2.7 Other hazards which do not result in classification

no data available

3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Diisodecyl phthalate	Diisodecyl phthalate	26761-40-0	247-977-1	99%

4: First-aid measures

4.1 General advice

Stop contact immediately and rinse the contact area with clean water; if symptoms are mild (such as skin redness, eye stinging), rest and observe; if symptoms persist or worsen, seek medical attention and carry the material SDS

4.2 If inhaled

Move to a ventilated place and breathe fresh air deeply; if a mild cough occurs, drink plenty of warm water to relieve it, no special treatment is required

4.3 In case of skin contact

Rinse with running water for 5-10 minutes. If itching occurs, apply anti-allergic ointment; avoid scratching

4.4 In case of eye contact

Rinse with clean water for 5 minutes and apply artificial tears; if discomfort persists, go to an ophthalmologist for treatment.

4.5 If swallowed

If a small amount is accidentally ingested (such as a mild irritant), drink plenty of water to promote excretion; seek medical attention if nausea occurs, and do not induce vomiting on your own.

4.6 Most important symptoms and effects, both acute and delayed

Mild redness and itching of the skin, brief stinging of the eyes, and a mild cough; no long-term health effects.

4.7 Protection of first-aiders

Rescuers need to wear ordinary gloves and goggles; no special heavy equipment is required, and they can just wash their hands after contact.

4.8 Notes to physician

Inform your doctor of the substance type (e.g., mild irritant, aquatic hazard); treat symptomatically (e.g., anti-allergic, anti-inflammatory); no special treatment is required.

5: Fire-fighting measures

5.1 Unsuitable extinguishing media

Mild irritants: No special contraindications, avoid using fire extinguishing agents that are incompatible with the substance (such as using alkali when encountering acid); Aquatic hazardous substances: Avoid using fire extinguishing agents that pollute water bodies (such as phosphorus-containing foam)

5.2 Specific hazards during fire fighting

The risk of combustion is low, mostly small local fires that are not easy to spread; some substances release slightly irritating gases (such as acetic acid) when burned, which have little impact on health; if the wastewater from fire extinguishing of aquatic hazardous substances enters the water body, it may harm aquatic life.

5.3 Hazardous combustion products

Carbon dioxide, water vapor, slightly irritating gases (such as sulfur dioxide, acetic acid vapor).

5.4 Specific extinguishing methods

For small areas: use dry powder/water to extinguish the fire (if compatible), and use wet cleaning for dust (to prevent dust); for large areas: use foam/water to extinguish the fire, and collect the fire extinguishing wastewater at the same time (to prevent water pollution); after extinguishing the fire, ventilate to dilute the residual gas.

5.5 Special protective equipment for fire-fighters

Wear anti-static work clothes, nitrile gloves, and goggles; wear a dust mask when working with dust; no special heavy equipment is required, and maintain good ventilation during operation.

6: Accidental release measures

6.1 Protective measures for workers

Wear chemical protective clothing (resistant to corresponding chemicals), chemical protective gloves, and goggles; wear a gas mask (organic vapor filter cartridge) for volatile substances; avoid skin contact.

6.2 Environmental protection measure

Set up waterproof cofferdams to prevent leaks from entering rivers/farmland; use oil-absorbing cotton/adsorbents to intercept leaks that have already entered the water body; take samples from contaminated water bodies for testing and assess the ecological impact.

6.3 Containment methods for leaked chemicals

Collect liquids in water-resistant containers (to prevent rain); collect solids in chemical-resistant bags (to prevent rain erosion); and store them in rain-proof and seepage-proof areas after collection.

6.4 Cleanup methods for chemical spills

Small leakage: absorb with aquatic protective adsorption materials; large leakage: transfer to storage tank with corrosion-resistant pump; cleaning water is collected and treated, and direct discharge is prohibited.

6.5 Measures to prevent the spread of leaks

Designate a 10-meter isolation zone and monitor the drainage outlet; add a rain shelter on rainy days; and set up monitoring points in downstream water bodies.

6.6 Container leakage treatment

Minor leaks: seal with waterproof sealant; serious leaks: move to a rainproof area, have professionals handle it, and reuse the container after passing inspection.

6.7 Special considerations

Do not discharge leaked materials/cleaning water directly into water bodies; use phosphorus-free detergents; report the leak to the environmental protection department after treatment.

7: Handling and storage

7.1 Safe storage conditions

Store in a normally ventilated warehouse (natural ventilation or mechanical ventilation, air changes ? 2 times/hour); the container should be ordinary plastic or glass (such as polyethylene bottles, glass bottles) with a sealed lid; the warehouse floor should be ordinary cement with no special anti-corrosion requirements; equipped with basic fire-fighting equipment (such as fire extinguishers, fire sand).

7.2 Storage precautions

Store materials by category (e.g. liquids and solids separated) to avoid confusion; clearly mark the substance name and H code on container labels; check containers for damage monthly and clean up minor leaks immediately; eating and drinking are prohibited in the warehouse, and hands must be washed after work.

7.3 VCI Storage Grade

Level 4 (lowest): Metal containers do not require additional VCI protection and can be stored normally. The humidity in the warehouse is ?70%, which prevents slight rust on ordinary metals without affecting their use. For long-term storage (over 6 months), the dust on the surface of the container needs to be wiped off.

7.4 Recommended storage temperature

10-35?, store at room temperature; avoid extreme temperatures (below -5? or above 40?); deliquescent substances (such as certain salts) should be stored in a dry place with a desiccant (such as silica gel) and replaced regularly (if the label has a recommended storage temperature, follow the label).

7.5 Handling

For precautions see Safety Data Sheet section 2
Advice on safe handling : Work under hood. Do not inhale substance/mixture.

8: Exposure controls/personal protection

8.1 Respiratory protection

When exposed to slightly irritating dust (such as talcum powder) or vapor (such as acetic acid), wear an ordinary dust mask; a respirator is not necessary when ventilation is good.

8.2 Recommended Filter type

For dust, choose Type P1 filter cotton; for slight organic vapor, choose Type A1 filter cartridge; no composite filtration is required, basic protection is sufficient.

8.3 Eye/face protection

Wear ordinary impact-resistant goggles with resin lenses. Wear protective glasses when handling liquids to avoid splashing.

8.4 Skin and body protection

Wear ordinary work clothes (cotton or chemical fiber) and wear a waterproof apron when handling liquids to prevent clothes from getting wet.

8.5 Hand protection

Wear nitrile or latex gloves with a thickness of ?0.2mm and replace them promptly after use to avoid damage.

8.6 Hygiene measures

Wash your hands with soap and running water after work. If your skin becomes red or itchy, apply moisturizer. Do not rub your eyes with your hands. Wash your clothes normally; no special disinfection requirements are required.

9: Physical and chemical properties and safety characteristics

Physical state	Colorless liquid
Colour	Clear liquid
Odour	Mild odor
Melting point/freezing point	-127°C(lit.)
Boiling point or initial boiling point and boiling range	100°C
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	Lower flammable limit: 0.3% by volume at 508 deg F
Flash point	235°C(lit.)
Auto-ignition temperature	401.67°C (USCG, 1999)
Decomposition temperature	When heated to decomposition it emits acrid smoke and irritating vapors.
pH	no data available
Kinematic viscosity	108 cP at 20°C
Solubility	Insoluble
Partition coefficient n-octanol/water	log Kow = 10.36 (est)
Vapour pressure	5.63E-10mmHg at 25°C
Density and/or relative density	0.964g/cm3
Relative vapour density	15.4 (Relative to Air)

Particle characteristics no data available

10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

CombustibleDIISODECYL PHTHALATE is an ester. Esters react with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction of esters with caustic solutions. Flammable hydrogen is generated by mixing esters with alkali metals and hydrides. Can generate electrostatic charges. [Handling Chemicals Safely 1980. p. 250].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

Strong oxidizing agents

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating vapors.

11: Toxicological information

11.1 Acute toxicity

Oral: LD50 Rat oral 64 g/kg /64,000 mg/kg/
Inhalation: LC50 Rat inhalation >12.54 mg/L/4 hr /Vestinol DZ/
Dermal: no data available

11.2 Skin corrosion/irritation

no data available

11.3 Serious eye damage/irritation

no data available

11.4 Respiratory or skin sensitization

no data available

11.5 Germ cell mutagenicity

no data available

11.6 Carcinogenicity

no data available

11.7 Reproductive toxicity

no data available

11.8 STOT-single exposure

no data available

11.9 STOT-repeated exposure

no data available

11.10 Aspiration hazard

no data available

12: Ecological information

12.1 Toxicity

Toxicity to fish: LC50; Species: Lepomis macrochirus (Bluegill) juvenile, length 29-40 mm; Conditions: freshwater, static, 22°C, pH 7.6-7.9, hardness 25-50 mg/L CaCO3, alkalinity 25-50 mg/L CaCO3; Concentration: 370 ug/L for 96 hr /> or = 95% purity
Toxicity to daphnia and other aquatic invertebrates: EC50; Species: Daphnia magna (Water flea) age < or =24 hr; Conditions: freshwater, static, 20°C, pH 7.6-7.9, hardness 25-50 mg/L CaCO3, alkalinity 25-50 mg/L CaCO3; Concentration: 20 ug/L for 48 hr; Effect: intoxication, immobilization /> or = 95% purity
Toxicity to algae: EC50; Species: Pseudokirchneriella subcapitata (Green algae); Conditions: freshwater, static, 22-24°C, pH 7.6-7.9, hardness 25-50 mg/L CaCO3, alkalinity 25-50 mg/L CaCO3; Concentration: 800 ug/L for 96 hr; Effect: decreased population abundance /> or = 95% purity
Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: In a semi-continuous activated sludge test (Soap and Detergent Association biodegradation test method), the mean degradation for diisodecyl phthalate was 68% in 24 hr(1). In a die-away phase of the testing, it took 9 days to achieve 90% degradation(1). Diisodecyl phthalate is confirmed to be degradable in the screening procedure of the Japanese Ministry of Trade and Industry (MITI) which uses a mixed inoculum derived from soil, fresh water and sewage(2). In an acclimated shake flask CO2 evolution test, loss of parent compound (primary degradation) as well as CO2 evolution (ultimate degradation) was measured using an inoculum prepared from soil and sewage, >99% of diisodecyl phthalate was lost and 56% of theoretical CO2 was evolved after 28 days(3). The biodegradation half-life was 9.6 days with a 4.9 day lag(3). Diisodecyl phthalate, present at 100 mg/L, reached 2% of its theoretical BOD in 2 weeks using an activated sludge inoculum at 30 mg/L in the Japanese MITI test(4). Diisodecyl phthalate, present at a concentration of 100 ppm, was degraded 14 and 30% after three days cultivation in water from the Mino

River and Akashi Beach, Japan, respectively(5). Diisodecyl biodegraded 67% from an initial concentration of 48 ppm and 100 ppm in 28 days in activated sludge at 22 and 25°C, respectively(6). Diisodecyl phthalate degraded 42% in 21 days at 25°C from a starting concentration of 100 ppm(6). An aerobic aquatic half-life of 23 days was given for diisodecyl phthalate(7).

12.3 Bioaccumulative potential

BCFs of <3.6 and <14.4 were measured for diisodecyl phthalate at chemical concentrations of 1 and 0.1 mg/L, respectively, using carp (Cyprinus carpio) which were exposed over an 8-week period(1). According to a classification scheme(2), these BCFs suggest that bioconcentration in aquatic organisms is low(SRC). The mean log BCF of diisodecyl phthalate in Daphnia magna as determined in a 21 day test using ring-labeled chemical was 2.06(3), corresponding to a BCF of 115(SRC). The mean log BCF in mussels (Mytilus edulis) was 3.54 between 14 and 28 days also using ring-labeled ester(4), corresponding to a BCF of 3467(SRC). However depuration was rapid in mussels, the half-life being 3.5 days(4).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the log Koc of diisodecyl phthalate can be estimated to be 6.04(SRC). Other estimated log Koc values reported were 5.46 and 5.78(2). According to a classification scheme(3), these estimated log Koc values suggest that diisodecyl phthalate is expected to be immobile in soil. The average Koc of (14)C-diisodecyl phthalate using three standard USEPA sediments (supplied and characterized by the EPA) was measured at 2.86X10+5(4).

12.5 Other adverse effects

no data available

13: Disposal considerations

13.1 Disposal methods for waste chemicals

It can be disposed of as ordinary industrial waste or recycled by a qualified unit. Liquid substances can be neutralized to a neutral pH before discharge (subject to compliance with local environmental protection standards). Solid substances can be safely landfilled or incinerated. After cleaning, the container can be recycled as ordinary waste.

13.2 Precautions

Before disposal, the characteristics of the substance must be confirmed to avoid misjudging the risk level. Mildly irritating substances must be strictly separated from food-grade waste. The disposal process must comply with local environmental regulations. Small amounts of residue can be rinsed with water, and the rinse water must be treated. Records of the amount and destination of disposal must be kept for at least three years.

14: Transport information

14.1 UN Number

ADR/RID: UN2296 IMDG: UN2296 IATA: UN2296

14.2 UN Proper Shipping Name

ADR/RID: METHYLCYCLOHEXANE IMDG: METHYLCYCLOHEXANE IATA: METHYLCYCLOHEXANE

14.3 Transport hazard class(es)

ADR/RID: 3 IMDG: 3 IATA: 3

14.4 Packing group, if applicable

ADR/RID: II IMDG: II IATA: II

14.5 Environmental hazards

ADR/RID: no IMDG: no IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Diisodecyl phthalate	Diisodecyl phthalate	26761-40-0	247-977-1
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Australian Inventory of Industrial Chemicals (AIIC)			Not Listed.
Catalogue of Strictly Restricted Toxic Chemicals in China			Not Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
European INventory of Existing Commercial chemical Substances			Not Listed.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans			Not Listed.
TSCA Inventory of Chemical Substances			Listed.

16: Other information

Information on revision

SDS Creation Date	July 1, 2025
SDS Revision Date	July 1, 2025

Abbreviations and acronyms in SDS

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

SDS References

- IPCS - The International Chemical Safety Cards (ICSC), website: http://www.ilo.org/dyn/icsc/showcard.home
- HSDB - Hazardous Substances Data Bank, website: https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm
- IARC - International Agency for Research on Cancer, website: http://www.iarc.fr/
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: http://cameochemicals.noaa.gov/search/simple
- ChemIDplus, website: http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: http://www.phmsa.dot.gov/hazmat/library/erg
- Germany GESTIS-database on hazard substance, website: http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp
- ECHA - European Chemicals Agency, website: https://echa.europa.eu/

Any questions regarding this Safety Data Sheet, Please send your inquiry to sales@MolBest.com

---