

SAFETY DATA SHEETS

According to the UN GHS revision 10

1: Identification

1.1 GHS Product identifier

Product name Dinonyl phthalate

1.2 Other means of identification

Product number 84-76-4

Other names Dinonyl phthalate

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company Zhongshan Greenrock Technology Co., Ltd.

Address No. 138, Jinsan Avenue, Sanjiao Town, Zhongshan City, Guangdong Province, China

Telephone +86-2087066781

1.5 Emergency phone number

Emergency phone number +86-2087066781

Service hours Monday to Friday, 9am-5pm (Standard time zone: UTC/GMT +8 hours).

2: Hazard identification

2.1 Emergency Overview

Low-risk substances usually cause only mild irritation or discomfort. Under normal handling conditions, they are unlikely to pose a significant risk to human health or the environment. However, basic safety precautions must be followed.

2.2 GHS Classification

Acute toxicity, oral : Category 4

2.3 GHS label elements, including precautionary statements

Pictogram(s)**Signal word**

Warning

Hazard statement(s)

H302 Harmful if swallowed

Precautionary statement(s)**Prevention**P264 Wash hands [and ...] thoroughly after handling.
P270 Do not eat, drink or smoke when using this product.**Response**P330 Rinse mouth.
P301+P317 IF SWALLOWED, Get medical help.**Storage**

no data available

Disposal

P501 Dispose of contents/container to ...

2.4 Physical and chemical

The physical and chemical hazards are low, and they are non-flammable, non-explosive, and non-corrosive. Some substances may be slightly flammable or irritating, but the risk is low.

2.5 Health hazards

May cause mild skin or eye irritation, such as redness and itching. Inhalation or ingestion of small amounts may cause temporary discomfort, but no serious or long-term health effects. No special medical treatment is generally required.

2.6 Environmental hazards

It has a low impact on the environment and is only slightly toxic to aquatic organisms and terrestrial ecosystems. Under normal disposal conditions, it will not cause significant environmental pollution and is highly biodegradable.

2.7 Other hazards which do not result in classification

no data available

3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
Dinonyl phthalate	Dinonyl phthalate	84-76-4	272-012-6	99%

4: First-aid measures

4.1 General advice

Stop contact immediately and rinse the contact area with clean water; if symptoms are mild (such as skin redness, eye stinging), rest and observe; if symptoms persist or worsen, seek medical attention and carry the material SDS

4.2 If inhaled

Move to a ventilated place and breathe fresh air deeply; if a mild cough occurs, drink plenty of warm water to relieve it, no special treatment is required

4.3 In case of skin contact

Rinse with running water for 5-10 minutes. If itching occurs, apply anti-allergic ointment; avoid scratching

4.4 In case of eye contact

Rinse with clean water for 5 minutes and apply artificial tears; if discomfort persists, go to an ophthalmologist for treatment.

4.5 If swallowed

If a small amount is accidentally ingested (such as a mild irritant), drink plenty of water to promote excretion; seek medical attention if nausea occurs, and do not induce vomiting on your own.

4.6 Most important symptoms and effects, both acute and delayed

Mild redness and itching of the skin, brief stinging of the eyes, and a mild cough; no long-term health effects.

4.7 Protection of first-aiders

Rescuers need to wear ordinary gloves and goggles; no special heavy equipment is required, and they can just wash their hands after contact.

4.8 Notes to physician

Inform your doctor of the substance type (e.g., mild irritant, aquatic hazard); treat symptomatically (e.g., anti-allergic, anti-inflammatory); no special treatment is required.

5: Fire-fighting measures

5.1 Unsuitable extinguishing media

Mild irritants: No special contraindications, avoid using fire extinguishing agents that are incompatible with the substance (such as using alkali when encountering acid); Aquatic hazardous substances: Avoid using fire extinguishing agents that pollute water bodies (such as phosphorus-containing foam)

5.2 Specific hazards during fire fighting

The risk of combustion is low, mostly small local fires that are not easy to spread; some substances release slightly irritating gases (such as acetic acid) when burned, which have little impact on health; if the wastewater from fire extinguishing of aquatic hazardous substances enters the water body, it may harm aquatic life.

5.3 Hazardous combustion products

Carbon dioxide, water vapor, slightly irritating gases (such as sulfur dioxide, acetic acid vapor).

5.4 Specific extinguishing methods

For small areas: use dry powder/water to extinguish the fire (if compatible), and use wet cleaning for dust (to prevent dust); for large areas: use foam/water to extinguish the fire, and collect the fire extinguishing wastewater at the same time (to prevent water pollution); after extinguishing the fire, ventilate to dilute the residual gas.

5.5 Special protective equipment for fire-fighters

Wear anti-static work clothes, nitrile gloves, and goggles; wear a dust mask when working with dust; no special heavy equipment is required, and maintain good ventilation during operation.

6: Accidental release measures

6.1 Protective measures for workers

Wear anti-static work clothes, nitrile chemical-resistant gloves, and goggles; wear a dust mask or half mask when dealing with dust/volatile substances.

6.2 Environmental protection measure

Isolate the contaminated area within 5 meters; do not allow the leaked material to enter the soil/water body; ventilate/neutralize small leaks and notify the environmental protection department for large leaks.

6.3 Containment methods for leaked chemicals

Liquids are collected in plastic containers; solids are placed in sealed bags using spark-free tools; dust is collected using wet sweeping.

6.4 Cleanup methods for chemical spills

Small leakage: absorb with adsorption material and dispose of as hazardous waste; Large leakage: transfer to storage tank with compatible pump; After cleaning, rinse the ground with clean water.

6.5 Measures to prevent the spread of leaks

5-meter isolation area + signage; ventilation (ordinary fan); isolation belt to prevent spread to public areas.

6.6 Container leakage treatment

Minor leaks: Seal with sealant/tape; Serious leaks: Move to a safe area, handle professionally, and discard the container according to regulations.

6.7 Special considerations

Operators must understand the hazards of substances and first aid; protective equipment must be cleaned and stored; and the handling process must be recorded.

7: Handling and storage

7.1 Safe storage conditions

Store in a normally ventilated warehouse (natural ventilation or mechanical ventilation, air changes ? 2 times/hour); the container should be ordinary plastic or glass (such as polyethylene bottles, glass bottles) with a sealed lid; the warehouse floor should be ordinary cement with no special anti-corrosion requirements; equipped with basic fire-fighting equipment (such as fire extinguishers, fire sand).

7.2 Storage precautions

Store materials by category (e.g. liquids and solids separated) to avoid confusion; clearly mark the substance name and H code on container labels; check containers for damage monthly and clean up minor leaks immediately; eating and drinking are prohibited in the warehouse, and hands must be washed after work.

7.3 VCI Storage Grade

Level 4 (lowest): Metal containers do not require additional VCI protection and can be stored normally. The humidity in the warehouse is ?70%, which prevents slight rust on ordinary metals without affecting their use. For long-term storage (over 6 months), the dust on the surface of the container needs to be wiped off.

7.4 Recommended storage temperature

10-35?, store at room temperature; avoid extreme temperatures (below -5? or above 40?); deliquescent substances (such as certain salts) should be stored in a dry place with a desiccant (such as silica gel) and replaced regularly (if the label has a recommended storage temperature, follow the label).

7.5 Handling

For precautions see Safety Data Sheet section 2

Advice on safe handling : Work under hood. Do not inhale substance/mixture.

8: Exposure controls/personal protection

8.1 Respiratory protection

When exposed to slightly irritating dust (such as talcum powder) or vapor (such as acetic acid), wear an ordinary dust mask; a respirator is not necessary when ventilation is good.

8.2 Recommended Filter type

For dust, choose Type P1 filter cotton; for slight organic vapor, choose Type A1 filter cartridge; no composite filtration is required, basic protection is sufficient.

8.3 Eye/face protection

Wear ordinary impact-resistant goggles with resin lenses. Wear protective glasses when handling liquids to avoid splashing.

8.4 Skin and body protection

Wear ordinary work clothes (cotton or chemical fiber) and wear a waterproof apron when handling liquids to prevent clothes from getting wet.

8.5 Hand protection

Wear nitrile or latex gloves with a thickness of ≥ 0.2 mm and replace them promptly after use to avoid damage.

8.6 Hygiene measures

Wash your hands with soap and running water after work. If your skin becomes red or itchy, apply moisturizer. Do not rub your eyes with your hands. Wash your clothes normally; no special disinfection requirements are required.

9: Physical and chemical properties and safety characteristics

Physical state	clear yellow-brown oily liquid
Colour	Colorless liquid
Odour	no data available
Melting point/freezing point	-106°C(lit.)
Boiling point or initial boiling point and boiling range	245°C/5mmHg(lit.)
Flammability	no data available
Lower and upper explosion limit/flammability limit	no data available
Flash point	220°C(lit.)
Auto-ignition temperature	no data available
Decomposition temperature	When heated to decomp it emits acrid smoke and irritating fumes.
pH	no data available
Kinematic viscosity	112 cP at 20°C
Solubility	In water:<1 g/L (20 oC)
Partition coefficient n-octanol/water	log Kow = 9.52 (est)
Vapour pressure	5.14X10 ⁻⁷ mm Hg at 25°C (est)
Density and/or relative density	0.97
Relative vapour density	no data available

Particle characteristics no data available

10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

Stable under recommended storage conditions.

10.3 Possibility of hazardous reactions

Combustible DINONYL PHTHALATE is an ester. Esters react with acids to liberate heat along with alcohols and acids. Strong oxidizing acids may cause a vigorous reaction that is sufficiently exothermic to ignite the reaction products. Heat is also generated by the interaction of esters with caustic solutions. Flammable hydrogen is generated by mixing esters with alkali metals and hydrides. Can generate electrostatic charges [Handling Chemicals Safely, 1980. p. 250].

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

no data available

10.6 Hazardous decomposition products

When heated to decomp it emits acrid smoke and irritating fumes.

11: Toxicological information

11.1 Acute toxicity

Oral: LD50 Rat oral 2.00 g/kg /From table/

Inhalation: no data available

Dermal: no data available

11.2 Skin corrosion/irritation

no data available

11.3 Serious eye damage/irritation

no data available

11.4 Respiratory or skin sensitization

no data available

11.5 Germ cell mutagenicity

no data available

11.6 Carcinogenicity

no data available

11.7 Reproductive toxicity

no data available

11.8 STOT-single exposure

no data available

11.9 STOT-repeated exposure

no data available

11.10 Aspiration hazard

no data available

12: Ecological information

12.1 Toxicity

Toxicity to fish: no data available

Toxicity to daphnia and other aquatic invertebrates: no data available

Toxicity to algae: no data available

Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Dinonyl phthalate, added to a semi-continuous activated sludge apparatus at 5, 10, and 20 mg added per 24 hr, underwent 52%, 48%, and 54% degradation, respectively, under aerobic conditions(1,2).

When dinonyl phthalate was incubated with pure cultures of *Pseudomonas acidovorans* under aerobic conditions, the initial degradation products were phthalic acid and nonyl alcohol(3).

Di(heptyl,nonyl,undecyl) phthalate had a half-life of 6 to 8 days in river die-away tests(4). In active microcosms containing lake water and sediment, 40 to 48% of (14)C-di(heptyl,nonyl,undecyl)phthalate radioactivity was evolved as carbon dioxide over a 41 day period; after six weeks no residual (14)C-di(heptyl,nonyl,undecyl) phthalate was found in the water column and only 2 to 6% was associated with sediments(4). In semi-continuous activated sludge tests, a primary degradation half-life of <1 day at an addition rate of 5 to 200 mg/L per 24-hour cycle was observed for di(heptyl,nonyl,undecyl) phthalate(4). In shake flask studies using an acclimated bacterial inoculum, an ultimate biodegradation half-life of 5 days was observed for di(heptyl,nonyl,undecyl) phthalate at an initial concentration of 20 mg/L(4). 98% Biodegradation of di(heptyl,nonyl,undecyl) phthalate was observed over a period of 28 days in shake flask tests using an acclimated inoculum consisting of soil and sewage microorganisms(5).

12.3 Bioaccumulative potential

An estimated BCF of 3 was calculated in fish for dinonyl phthalate(SRC), using an estimated log Kow of 9.52(1) and a regression-derived equation(2). According to a classification scheme(3), this BCF suggests the potential for bioconcentration in aquatic organisms is low(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of dinonyl phthalate can be estimated to be 6.6×10^5 (SRC). According to a classification scheme(2), this estimated Koc value suggests that dinonyl phthalate is expected to be immobile in soil. In sterile microcosms containing lake water and sediment, approximately 80% of di(heptyl,nonyl,undecyl) phthalate partitioned to sediment(3).

12.5 Other adverse effects

no data available

13: Disposal considerations

13.1 Disposal methods for waste chemicals

It can be disposed of as ordinary industrial waste or recycled by a qualified unit. Liquid substances can be neutralized to a neutral pH before discharge (subject to compliance with local environmental protection standards). Solid substances can be safely landfilled or incinerated. After cleaning, the container can be recycled as ordinary waste.

13.2 Precautions

Before disposal, the characteristics of the substance must be confirmed to avoid misjudging the risk level. Mildly irritating substances must be strictly separated from food-grade waste. The disposal process must comply with local environmental regulations. Small amounts of residue can be rinsed with water, and the rinse water must be treated. Records of the amount and destination of disposal must be kept for at least three years.

14: Transport information

14.1 UN Number

ADR/RID: UN3295

IMDG: UN3295

IATA: UN3295

14.2 UN Proper Shipping Name

ADR/RID: HYDROCARBONS,
LIQUID, N.O.S.

IMDG: HYDROCARBONS,
LIQUID, N.O.S.

IATA: HYDROCARBONS,
LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID: 3

IMDG: 3

IATA: 3

14.4 Packing group, if applicable

ADR/RID: II

IMDG: II

IATA: II

14.5 Environmental hazards

ADR/RID: no

IMDG: no

IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
Dinonyl phthalate	Dinonyl phthalate	84-76-4	272-012-6
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Not Listed.
Vietnam National Chemical Inventory			Not Listed.
Australian Inventory of Industrial Chemicals (AIIC)			Not Listed.
Catalogue of Strictly Restricted Toxic Chemicals in China			Not Listed.
China Catalog of Hazardous chemicals 2015			Not Listed.
European INventory of Existing Commercial chemical Substances			Not Listed.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans			Not Listed.
TSCA Inventory of Chemical Substances			Listed.

16: Other information

Information on revision

SDS Creation Date July 1, 2025

SDS Revision Date July 1, 2025

Abbreviations and acronyms in SDS

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average

- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

SDS References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this Safety Data Sheet, Please send your inquiry to sales@MolBest.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.