

SAFETY DATA SHEETS

According to the UN GHS revision 10

1: Identification

1.1 GHS Product identifier

Product name 1-Methylnaphthalene

1.2 Other means of identification

Product number 90-12-0

Other names 1-Methylnaphthalene

1.3 Recommended use of the chemical and restrictions on use

Identified uses Industrial and scientific research use.

Uses advised against no data available

1.4 Supplier's details

Company MolBest.com

Address MolBest.com

Telephone MolBest.com

1.5 Emergency phone number

Emergency phone number MolBest.com

Service hours MolBest.com

2: Hazard identification

2.1 Emergency Overview

Low-risk substances usually cause only mild irritation or discomfort. Under normal handling conditions, they are unlikely to pose a significant risk to human health or the environment. However, basic safety precautions must be followed.

2.2 GHS Classification

Acute toxicity, oral : Category 4

Aspiration hazard : Category 1

Hazardous to the aquatic environment, long-term hazard : Category 2

2.3 GHS label elements, including precautionary statements

Pictogram(s)



Signal word

Danger

Hazard statement(s)

H302 Harmful if swallowed

H304 May be fatal if swallowed and enters airways

H411 Toxic to aquatic life with long lasting effects

Precautionary statement(s)

Prevention

P264 Wash hands [and ...] thoroughly after handling.

P270 Do not eat, drink or smoke when using this product.

P273 Avoid release to the environment.

Response

P330 Rinse mouth.

P331 Do NOT induce vomiting.

P391 Collect spillage.

P301+P316 IF SWALLOWED, Get emergency medical help immediately.

P301+P317 IF SWALLOWED, Get medical help.

Storage

P405 Store locked up.

Disposal

P501 Dispose of contents/container to ...

2.4 Physical and chemical

The physical and chemical hazards are low, and they are non-flammable, non-explosive, and non-corrosive. Some substances may be slightly flammable or irritating, but the risk is low.

2.5 Health hazards

May cause mild skin or eye irritation, such as redness and itching. Inhalation or ingestion of small amounts may cause temporary discomfort, but no serious or long-term health effects. No special medical treatment is generally required.

2.6 Environmental hazards

It has a low impact on the environment and is only slightly toxic to aquatic organisms and terrestrial ecosystems. Under normal disposal conditions, it will not cause significant environmental pollution and is highly biodegradable.

2.7 Other hazards which do not result in classification

no data available

3: Composition/information on ingredients

3.1 Substances

Chemical name	Common names and synonyms	CAS number	EC number	Concentration
1-Methylnaphthalene	1-Methylnaphthalene	90-12-0	215-329-7	99%

4: First-aid measures

4.1 General advice

Stop contact immediately and rinse the contact area with clean water; if symptoms are mild (such as skin redness, eye stinging), rest and observe; if symptoms persist or worsen, seek medical attention and carry the material SDS

4.2 If inhaled

Move to a ventilated place and breathe fresh air deeply; if a mild cough occurs, drink plenty of warm water to relieve it, no special treatment is required

4.3 In case of skin contact

Rinse with running water for 5-10 minutes. If itching occurs, apply anti-allergic ointment; avoid scratching

4.4 In case of eye contact

Rinse with clean water for 5 minutes and apply artificial tears; if discomfort persists, go to an ophthalmologist for treatment.

4.5 If swallowed

If a small amount is accidentally ingested (such as a mild irritant), drink plenty of water to promote excretion; seek medical attention if nausea occurs, and do not induce vomiting on your own.

4.6 Most important symptoms and effects, both acute and delayed

Mild redness and itching of the skin, brief stinging of the eyes, and a mild cough; no long-term health effects.

4.7 Protection of first-aiders

Rescuers need to wear ordinary gloves and goggles; no special heavy equipment is required, and they can just wash their hands after contact.

4.8 Notes to physician

Inform your doctor of the substance type (e.g., mild irritant, aquatic hazard); treat symptomatically (e.g., anti-allergic, anti-inflammatory); no special treatment is required.

5: Fire-fighting measures

5.1 Unsuitable extinguishing media

Mild irritants: No special contraindications, avoid using fire extinguishing agents that are incompatible with the substance (such as using alkali when encountering acid); Aquatic hazardous substances: Avoid using fire extinguishing agents that pollute water bodies (such as phosphorus-containing foam)

5.2 Specific hazards during fire fighting

The risk of combustion is low, mostly small local fires that are not easy to spread; some substances release slightly irritating gases (such as acetic acid) when burned, which have little impact on health; if the wastewater from fire extinguishing of aquatic hazardous substances enters the water body, it may harm aquatic life.

5.3 Hazardous combustion products

Carbon dioxide, water vapor, slightly irritating gases (such as sulfur dioxide, acetic acid vapor).

5.4 Specific extinguishing methods

For small areas: use dry powder/water to extinguish the fire (if compatible), and use wet cleaning for dust (to prevent dust); for large areas: use foam/water to extinguish the fire, and collect the fire extinguishing wastewater at the same time (to prevent water pollution); after extinguishing the fire, ventilate to dilute the residual gas.

5.5 Special protective equipment for fire-fighters

Wear anti-static work clothes, nitrile gloves, and goggles; wear a dust mask when working with dust; no special heavy equipment is required, and maintain good ventilation during operation.

6: Accidental release measures

6.1 Protective measures for workers

Wear chemical protective clothing (resistant to corresponding chemicals), chemical protective gloves, and goggles; wear a gas mask (organic vapor filter cartridge) for volatile substances; avoid skin contact.

6.2 Environmental protection measure

Set up waterproof cofferdams to prevent leaks from entering rivers/farmland; use oil-absorbing cotton/adsorbents to intercept leaks that have already entered the water body; take samples from contaminated water bodies for testing and assess the ecological impact.

6.3 Containment methods for leaked chemicals

Collect liquids in water-resistant containers (to prevent rain); collect solids in chemical-resistant bags (to prevent rain erosion); and store them in rain-proof and seepage-proof areas after collection.

6.4 Cleanup methods for chemical spills

Small leakage: absorb with aquatic protective adsorption materials; large leakage: transfer to storage tank with corrosion-resistant pump; cleaning water is collected and treated, and direct discharge is prohibited.

6.5 Measures to prevent the spread of leaks

Designate a 10-meter isolation zone and monitor the drainage outlet; add a rain shelter on rainy days; and set up monitoring points in downstream water bodies.

6.6 Container leakage treatment

Minor leaks: seal with waterproof sealant; serious leaks: move to a rainproof area, have professionals handle it, and reuse the container after passing inspection.

6.7 Special considerations

Do not discharge leaked materials/cleaning water directly into water bodies; use phosphorus-free detergents; report the leak to the environmental protection department after treatment.

7: Handling and storage

7.1 Safe storage conditions

Store in a normally ventilated warehouse (natural ventilation or mechanical ventilation, air changes ? 2 times/hour); the container should be ordinary plastic or glass (such as polyethylene bottles, glass bottles) with a sealed lid; the warehouse floor should be ordinary cement with no special anti-corrosion requirements; equipped with basic fire-fighting equipment (such as fire extinguishers, fire sand).

7.2 Storage precautions

Store materials by category (e.g. liquids and solids separated) to avoid confusion; clearly mark the substance name and H code on container labels; check containers for damage monthly and clean up minor leaks immediately; eating and drinking are prohibited in the warehouse, and hands must be washed after work.

7.3 VCI Storage Grade

Level 4 (lowest): Metal containers do not require additional VCI protection and can be stored normally. The humidity in the warehouse is ?70%, which prevents slight rust on ordinary metals without affecting their use. For long-term storage (over 6 months), the dust on the surface of the container needs to be wiped off.

7.4 Recommended storage temperature

10-35?, store at room temperature; avoid extreme temperatures (below -5? or above 40?); deliquescent substances (such as certain salts) should be stored in a dry place with a desiccant (such as silica gel) and replaced regularly (if the label has a recommended storage temperature, follow the label).

7.5 Handling

For precautions see Safety Data Sheet section 2
Advice on safe handling : Work under hood. Do not inhale substance/mixture.

8: Exposure controls/personal protection

8.1 Respiratory protection

When exposed to slightly irritating dust (such as talcum powder) or vapor (such as acetic acid), wear an ordinary dust mask; a respirator is not necessary when ventilation is good.

8.2 Recommended Filter type

For dust, choose Type P1 filter cotton; for slight organic vapor, choose Type A1 filter cartridge; no composite filtration is required, basic protection is sufficient.

8.3 Eye/face protection

Wear ordinary impact-resistant goggles with resin lenses. Wear protective glasses when handling liquids to avoid splashing.

8.4 Skin and body protection

Wear ordinary work clothes (cotton or chemical fiber) and wear a waterproof apron when handling liquids to prevent clothes from getting wet.

8.5 Hand protection

Wear nitrile or latex gloves with a thickness of ≥ 0.2 mm and replace them promptly after use to avoid damage.

8.6 Hygiene measures

Wash your hands with soap and running water after work. If your skin becomes red or itchy, apply moisturizer. Do not rub your eyes with your hands. Wash your clothes normally; no special disinfection requirements are required.

9: Physical and chemical properties and safety characteristics

Physical state	ear colorless to light yellow liquid
Colour	Colorless liquid or oil
Odour	no data available
Melting point/freezing point	141°C(lit.)
Boiling point or initial boiling point and boiling range	241°C(lit.)
Flammability	Combustible.
Lower and upper explosion limit/flammability limit	0.7-6.5%(V)
Flash point	82°C(lit.)
Auto-ignition temperature	528.89°C (USCG, 1999)
Decomposition temperature	When heated to decomp it emits acrid smoke and fumes.
pH	no data available
Kinematic viscosity	no data available
Solubility	less than 1 mg/mL at 17.78°C
Partition coefficient n-octanol/water	log Kow of 3.87

Vapour pressure	23 mm Hg at 25°C ; 31 mm Hg at 50°C; 38 mm Hg at 70°C
Density and/or relative density	1.025
Relative vapour density	4.91 (Relative to Air)
Particle characteristics	no data available

10: Stability and reactivity

10.1 Reactivity

no data available

10.2 Chemical stability

This chemical is stable under normal laboratory conditions. Solutions of this chemical in water, DMSO, 95% ethanol or acetone should be stable for 24 hours under normal lab conditions.

10.3 Possibility of hazardous reactions

Moderate fire risk. METHYLNAPHTHALENE is incompatible with strong oxidizing agents. It is also incompatible with peroxides and oxygen.

10.4 Conditions to avoid

no data available

10.5 Incompatible materials

This compound is incompatible with strong oxidizers.

10.6 Hazardous decomposition products

When heated to decomposition it emits acrid smoke and irritating fumes

11: Toxicological information

11.1 Acute toxicity

Oral: LD50 Rat oral 1840 mg/kg

Inhalation: no data available

Dermal: no data available

11.2 Skin corrosion/irritation

no data available

11.3 Serious eye damage/irritation

no data available

11.4 Respiratory or skin sensitization

no data available

11.5 Germ cell mutagenicity

no data available

11.6 Carcinogenicity

A4; Not classifiable as a human carcinogen.

11.7 Reproductive toxicity

no data available

11.8 STOT-single exposure

no data available

11.9 STOT-repeated exposure

no data available

11.10 Aspiration hazard

no data available

12: Ecological information

12.1 Toxicity

Toxicity to fish: LC50; Species: *Salmo trutta* (Brown Trout) yearling; Conditions: freshwater, static, 10°C, pH 7.6-8.0, hardness 210-290 mg/L CaCO₃, alkalinity 165-200 mg/L CaCO₃, dissolved oxygen >50%; Concentration: 8400 ug/L for 48 hr /formulation

Toxicity to daphnia and other aquatic invertebrates: EC50; Species: *Daphnia magna* (Water Flea) age 4-6 days, length 1.5 mm; Conditions: freshwater, static, 23°C, pH 6-7, dissolved oxygen 5-9 mg/L; Concentration: 10 mmol/cu m for 48 hr (95% confidence interval: 3-40 mmol/cu m) /> or =97% purity;/ Effect: Immobilization.

Toxicity to algae: EC50; Species: *Pseudokirchneriella subcapitata* (Green Algae); Conditions: static; Concentration: 12000 ug/L for 14 days; Effect: growth, general /formulation

Toxicity to microorganisms: no data available

12.2 Persistence and degradability

AEROBIC: Aerobic aqueous screening test data showed a 84 and 95% loss of 0.1 ppm methylnaphthalenes in 1 and 5.6 days, respectively, for acclimated sewage inoculum; methylnaphthalenes did not degrade with unacclimated sewage(1). No loss of 1-methylnaphthalene was observed for a 5 day BOD test with sewage seed at 20°C(2). When marine water was used as an inoculate, 1- and 2-methylnaphthalene at respective concentrations of 0.045 and 0.067 ppm disappeared within 10 days under aerobic conditions at 25°C(3). Using the Japanese MITI I procedure, <5% degradation of methylnaphthalene occurred in 28 days; for the MITI II test with a freshwater inoculum, 49 and 72% of the 1- and 2-isomers were lost in 28 days under aerobic conditions at 25°C(4). A marine water die-away study with sediment inoculum from Dunstaffnage

Bay, Oban, Scotland showed a 92 and 88.5% loss of 1- and 2-methylnaphthalene, respectively, contained in crude oil after 7 days at 20°C(5). Methylnaphthalenes, present at 0.5 ppm carbon, was completely removed within 14 days from acclimated fresh-well water grab samples from Tuffenwies and Zurich, Switzerland, with a pH of 8.0, at 10 and 25°C and microbial populations of 300-400 cells/mL(6). Grab samples of groundwater aquifer soil that had acclimated to creosote wastes containing methylnaphthalene were able to degrade methylnaphthalenes, present at 0.02 to 0.12 ppm, under aerobic conditions at 25°C in less than a week(7). An average loss of 5.6 and 6.5% per week was observed for autoclaved controls(7). Unacclimated material from the same aquifer degraded methylnaphthalenes at an average rate of 3.5% per week; however autoclaved controls lost methylnaphthalenes at an overall rate of about 11% per week(7). Methylnaphthalene, present in light Arabian crude oil, showed little biodegradation in sea water, but when nutrients were added biodegradation increased; with sea water, sediment and nutrients, 100% biodegradation was seen in <10 days(8).

12.3 Bioaccumulative potential

After 2, 3, 5 and 6 weeks exposure, the average bioconcentration factors for 1- and 2-methylnaphthalene in the muscle tissue of Coho salmon (*Onchorhynchus kisutch*) were 30, 85, 160 and 60, respectively(1). After 2 weeks exposure, the average bioconcentration factor for 1- and 2-methylnaphthalene in the muscle tissue, liver and gills of Starry flounder (*Platichthys stellatus*) was 420, 1800 and 355, respectively(1). BCFs of 360-810 and 360-620 were found using carp (*Cyprinus carpio*) which were exposed for 60 days at respective concentrations of 1-methylnaphthalene of 1 and 10 ug/L(2). According to a classification scheme(3), BCF values of <30 are low and >1000 are very high. Methylnaphthalenes may be metabolized by some aquatic organisms(SRC).

12.4 Mobility in soil

Using a structure estimation method based on molecular connectivity indices(1), the Koc of methylnaphthalenes can be estimated to be 2530(SRC). However, 1-methylnaphthalene has reported Koc values of 2290(2) and 4400(3) and 2-methylnaphthalene has a reported Koc value of 4350(2) and measured Koc value of 8500(3). According to a classification scheme(4), these Koc values suggest that methylnaphthalenes are expected to have slight to no mobility in soil.

12.5 Other adverse effects

no data available

13: Disposal considerations

13.1 Disposal methods for waste chemicals

It can be disposed of as ordinary industrial waste or recycled by a qualified unit. Liquid substances can be neutralized to a neutral pH before discharge (subject to compliance with local environmental protection standards). Solid substances can be safely landfilled or incinerated. After cleaning, the container can be recycled as ordinary waste.

13.2 Precautions

Before disposal, the characteristics of the substance must be confirmed to avoid misjudging the risk level. Mildly irritating substances must be strictly separated from food-grade waste. The disposal process must comply with local environmental regulations. Small amounts of residue can be rinsed with water, and the rinse water must be treated. Records of the amount and destination of disposal must be kept for at least three years.

14: Transport information

14.1 UN Number

ADR/RID: UN3082

IMDG: UN3082

IATA: UN3082

14.2 UN Proper Shipping Name

ADR/RID:
ENVIRONMENTALLY
HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

IMDG: ENVIRONMENTALLY
HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

IATA: ENVIRONMENTALLY
HAZARDOUS SUBSTANCE,
LIQUID, N.O.S.

14.3 Transport hazard class(es)

ADR/RID: 9

IMDG: 9

IATA: 9

14.4 Packing group, if applicable

ADR/RID: III

IMDG: III

IATA: III

14.5 Environmental hazards

ADR/RID: no

IMDG: no

IATA: no

14.6 Special precautions for user

no data available

14.7 Transport in bulk according to IMO instruments

no data available

15: Regulatory information

15.1 Safety, health and environmental regulations specific for the product in question

Chemical name	Common names and synonyms	CAS number	EC number
1-Methylnaphthalene	1-Methylnaphthalene	90-12-0	215-329-7
New Zealand Inventory of Chemicals (NZIoC)			Listed.
Philippines Inventory of Chemicals and Chemical Substances (PICCS)			Listed.
Vietnam National Chemical Inventory			Listed.
Australian Inventory of Industrial Chemicals (AIIC)			Not Listed.
Catalogue of Strictly Restricted Toxic Chemicals in China			Not Listed.
China Catalog of Hazardous chemicals 2015			Listed.
European INventory of Existing Commercial chemical Substances			Not Listed.
IARC Monographs on the Evaluation of Carcinogenic Risks to Humans			Not Listed.
TSCA Inventory of Chemical Substances			Listed.

16: Other information

Information on revision

SDS Creation Date July 1, 2025

SDS Revision Date July 1, 2025

Abbreviations and acronyms in SDS

- CAS: Chemical Abstracts Service
- ADR: European Agreement concerning the International Carriage of Dangerous Goods by Road
- RID: Regulation concerning the International Carriage of Dangerous Goods by Rail
- IMDG: International Maritime Dangerous Goods
- IATA: International Air Transportation Association
- TWA: Time Weighted Average
- STEL: Short term exposure limit
- LC50: Lethal Concentration 50%
- LD50: Lethal Dose 50%
- EC50: Effective Concentration 50%

SDS References

- IPCS - The International Chemical Safety Cards (ICSC), website: <http://www.ilo.org/dyn/icsc/showcard.home>
- HSDB - Hazardous Substances Data Bank, website: <https://toxnet.nlm.nih.gov/newtoxnet/hsdb.htm>
- IARC - International Agency for Research on Cancer, website: <http://www.iarc.fr/>
- eChemPortal - The Global Portal to Information on Chemical Substances by OECD, website: http://www.echemportal.org/echemportal/index?pageID=0&request_locale=en
- CAMEO Chemicals, website: <http://cameochemicals.noaa.gov/search/simple>
- ChemIDplus, website: <http://chem.sis.nlm.nih.gov/chemidplus/chemidlite.jsp>
- ERG - Emergency Response Guidebook by U.S. Department of Transportation, website: <http://www.phmsa.dot.gov/hazmat/library/erg>
- Germany GESTIS-database on hazard substance, website: <http://www.dguv.de/ifa/gestis/gestis-stoffdatenbank/index-2.jsp>
- ECHA - European Chemicals Agency, website: <https://echa.europa.eu/>

Any questions regarding this Safety Data Sheet, Please send your inquiry to info@MolBest.com

Disclaimer: The above information is believed to be correct but does not purport to be all inclusive and shall be used only as a guide. The information in this document is based on the present state of our knowledge and is applicable to the product with regard to appropriate safety precautions. It does not represent any guarantee of the properties of the product. We as supplier shall not be held liable for any damage resulting from handling or from contact with the above product.